INDEX MAPS.

T. 34 N., R. 8 E. 2nd Mer.

Meanders 403, 423

385	384	384	383	383	382
385 6 402	5 401	4 400	3 399	2 393	1 380
~~405~~ 402	~~402~~ 401	~~401~~ 400	~~399~~	~~398~~	~~392~~
385 7 402	8 415	9 411	10 398	11 391	12 380 381
~~422~~	~~421~~	~~415~~	~~411-398~~	~~397~~	~~391~~
386 18 421	17 414	16 410	15 397	14 391	13 380 381
~~421~~	~~420~~	~~414~~	~~410-397~~	~~396~~	~~390~~
386 19 419	20 414	21 409	22 396	23 390	24 379 381
~~419~~	~~418~~	~~413~~	~~409-395~~	~~395~~	~~389~~
387 30 418	29 412	28 408	27 394	26 388	25 379 382
~~417~~	~~417~~	~~412~~	~~408-394~~	~~394~~	~~388~~
387 31 416	32 411	33 408	34 393	35 388	36 379 382
~~379~~	~~378~~	~~378~~	~~377~~	~~377~~	~~377~~

T. 35 N., R. 8 E. 2nd Mer.

Meanders 460

432	432	433	433	433	434
435 6 459	5 453	4 449	3 445	2 441	1 430
~~459~~	~~459~~	~~452~~	~~448~~	~~445~~	~~441~~
435 436 7 458	8 452	9 448	10 444	11 440	12 430
~~458~~	~~457~~	~~452~~	~~448~~	~~444~~	~~440~~
435 436 18 457	17 451	16 447	15 444	14 440	13 430 431
~~456~~	~~456~~	~~451~~	~~447~~	~~443~~	~~440~~
434 436 19 456	20 451	21 447	22 443	23 439	24 429 431
~~455~~	~~455~~	~~450~~	~~446~~	~~443~~	~~439~~
434 437 30 454	29 450	28 446	27 442	26 438	25 429 431
~~454~~	~~454~~	~~449~~	~~446~~	~~442~~	~~438~~
434 437 31 453	32 449	33 445	34 441	35 437	36 429 432
~~429~~	~~428~~	~~428~~	~~427~~	~~427~~	~~427~~

☞ The figures on the lines refer to the page.

Township No 34 North of Range No 8 East of 2nd Mer. Indiana

South Boundary

West	On South Boundary of Sec 36. var. 5° 20' E
20.55	A Hickory 12 in. diam.
40.00	Set a qr. Sec. post from which
	a W. Oak 24 in. diam. bears N 25 E 145 links dist. &
	a Do 36 " " " S 50 W 87 " "
58.84	A W. Oak 18 " "
80.00	Set a Post corner to Secs. 35 & 36 from which
	a Poplar 36 in. diam. bears N. 54 E. 105 links dist. &
	a Hickory 9 " " " N. 81 W. 47 " "
	Land Rolling 2nd rate. Timber Oak. Undergr.
	Oak & Hazle.

West	On South Boundary of Sec 35.
21.70	A W Oak 22 in. diam.
32.55	A Do 18 " "
38.25	Enter Tamarac Swamp
40.00	Set a qr. Sec post from which
	a S Ash 18 in. diam. bears N 88 E 25 links dist. &
	a Tamarac 6 " " " N 70 W 30 " "
61.50	Leave Tamarac Swamp
65.00	An Elm 18 in. diam.
80.00	Set a Post Cor. to Secs 34 & 35 from which
	a B. Ash 12 in. diam. bears N. 77 E. 12 links dist. &
	a Beech 18 " " " N 60 W 55 " "
	Land level 2nd rate. Timber. Oak. Ash &
	Beech. Undergr. Spice & Hickory

West	On South Boundary of Sec 34.
24.82	An Elm 15 in. diam.
35.33	A Beech 36 " "
40.00	Set a qr. Sec post from which
	a Beech 20 in. diam. bears N 58 E 28 links dist. &
	a Do 15 " " " N. 75 W. 41 " "
50.00	Enter Barrens
56.96	A Trail. SE & leave Barrens

T 34 N R 8 E 2nd Mer. Indiana

80 00	Set a Post cor. to Sec. 33 & 34 from which
	a B. Oak 42 ins diam. bears S 68 E 66 links dist. &
	a Do 35 " " " S 10 E 17 " "
	Land level 2nd rate. Timber. Poplar. Beech &
	Elm. Undergth. Spice.

West	On South Boundary of Sec. 33
18. 83	S. Ash 35 ins diam.
13. 33	An R. Oak 40 " "
40.00	Set a qr. Sec post from which
	a B Walnut 24 ins diam. bears N 67 E 73 lks. dist. &
	an Elm 14 " " " N 76 W 23 " "
75 12	A W Oak 25 " "
80.00	Set a Post cor. to Sec. 32 & 33 from which
	a W. Oak 24 ins diam. bears N 67 E 54 links dist. &
	a Poplar 24 " " " N 31 W 35 " "
	Land &c as before.

West	On South Boundary of Sec. 32
14. 23	A B. Oak 21 ins diam.
15 50	Enter Wet Prairie
27. 00	Leave same
38. 50	Enter Wet Prairie
40 00	Set a qr. Sec post from which
	a B. Oak 22 ins diam. bears N 78 E 94 links dist. &
	a W. Oak 18 " " " N 45 E 134 " "
42. 50	Set Post on the North Bank of Lake. no trees.
52. 54	Set Post on the S W. Bank of Lake from which
	a B. Oak 21 ins diam. bears West 2. 50 lks dist. &
	This Lake was passed by an offset 5 chains North
	Thence 10 ch. 24 links West. Thence South
	5 chains to true line
55 14	Leave the Prairie
67. 93	A Fruit. A W.
70 31	A W. Oak 22 ins diam.
80 00	Set a Post, Cor. to Sec. 31 & 32.

Comp.

T 34 N. R 8 E 2nd Mer. Indiana.

a W. Oak 14 in. diam. bears N 62 E 6 links dist. &
a Do 20 " " " N 65 W 83 " "
Land rolling 2nd rate. Timber Oak. Open woods.

West On South Boundary of Sec 31.
28.75 An S Ash 24 in. diam.
40.00 Set a qr. Sec Post from which
a Beech 26 in. diam. bears N. 6 9 E. 12 links dist. &
an Ironwood 7 " " " N. 64 W. 57 " "
51.23 A Beech 24 " "
70.50 A Sycamore 40 in. diam.
~~80.00~~ 77.83 to Township Corner
See R. Clark's notes in 1834 Book E.

Land rolling & 2nd rate. Timber Ash & Beech
Undergth. Dogwood Ash. Sugar. &c.

East Boundary. var. 5° 20' E.

North On East Boundary of Sec 36. On Random
40.00 Set a Temp. qr. Sec. post.
65.00 Enter Wet Prairie
74.50 Leave same
80.00 Set a Temp. Post Cor. to Sec. 25 & 36.
Land rolling 2nd rate. Barrens with scattering Oak & Hickory. Undergth same.

North On Random On East Boundary of Sec 25.
3.00 Enter Wet Prairie
12.15 Left same
40.00 Set a Temp. qr. Sec post
80.00 Set " " Post cor. to Sec. 24 & 25.
Land &c as before.

North On Random On East Boundary of Sec. 24
10.00 Enter S. Prairie.

T 34 N. R 8 E 2nd Mer. Indiana.

22 50 Leave Prairie
40 00 Set a Temp.o q.r Sec post.
47.00 Fort Wayne Road. S E
60 25 Enter Wet Prairie
68.00 Leave same.
80 00 Set a Temp.o Post cor. to Sec.s 13 & 24.
Land &c as before.

North On Random On East Boundary of Sec 13
40 00 Set a Temp.o q.r Sec post
80 00 Set a Temp.o Post cor. to Sec.s 12 & 13.
Land & Timber as before.

North On East Boundary of Sec. 12 On Random
40 00 Set a Temp.o q.r Sec Post.
80 00 Set a " Post cor. to Sec.s 1 & 12
Land & Timber as before

North On Random On East Boundary of Sec 1.
40,00 Set a Temp.o q.r Sec post.
41.29 Set a " Post on the North Bank of Lake & Enter Prairie. This Lake was measured by Trigonometry.
80 29 Intersect North Boundary 1 chain & 56 links West of the Post.
Land except Lake as before.

South Corrected On East Boundary of Sec 1
39.00 Set a Post on N.E Bank of Lake, from which an R. Oak 12 in.s diam.r bears S 37 E 92 lks. dis.s &
a W. Oak 20 " " " N 85 E 1.47 " "
40.29 S 1/4 Sec post in Lake.
80 29 Set a Post on the South Bank of Lake Cor to Sec.s 1 & 12 from which
a Hickory 10 in.s diam.r bears S 42 W 185 links dis.s &
a W. Oak 30 " " " South 4.02 " "

T 34 N. R 8 E 2nd Mer. Indiana.

South Connected On East Boundary of Sec 12
16.07 A B Oak 26 in. diam.
40.00 Set a q. Sec post from which
a B. Oak 25 in. diam. bears N 11 W 44 links dist &
a W. Oak 18 " " " S 79 W 79 " "
40.80 A W. Oak 15 " "
60.30 A Do 30 " "
80.00 Set a Post cor. to Sec. 12 & 13 from which
a W. Oak 24 in. diam. bears N 15 W 2.27 links dist &
a Hickory 7 " " " S 57 W 21 " "

~~South Connected On East Boundary of Sec 12~~
~~25.14 A W. Oak 30 in. diam.~~
~~40.00 Set a q. Sec post from which~~
~~a B. Oak 25 in. diam. bears N. 11 W. 44 links dist &~~
~~a W. Oak 18 " " " S 79 W 79 " "~~
~~40.80 A W. Oak 15 " "~~
~~60.30 A Do 30 " "~~
~~80.00 Set a Post Cor. to Sec. 12 & 13 from which~~
~~a W Oak 24 in. diam. bears N. 15 W 2.27 lks dist &~~
~~a Hickory 7 " " " S 57 W 21 " "~~

South On Random On East Boundary of Sec 13.
25.14 A W. Oak 30 in. diam.
40.00 Set a q. Sec Post from which
a Burr Oak 35 in. diam. bears S 75 W 150 links dist &
a W. Oak 19 " " " N 55 E 65 " "
54.62 A Do 18 " "
75.70 A B. Oak 4 " "
80.00 Set a Post cor. to Sec. 24 & 13. from which
a W. Oak 20 in. diam. bears N. 41 W. 150 links dist &
a B. Oak 25 " " " S. 41 W. 130 " "

South On East Boundary of Sec 24 Connected.
27.98 A B. Oak 30 in. diam.
40.00 Set a q. Sec post from which

T. 34 N. R. 8 E. 2nd Mer. Indiana.

a B. Oak 36 in. diam. bears N. 2 W. 133 lks dist. &
a W. Oak 30 " " " N. 61 E. 131 " "
44.97 A W. Oak 36 " "
72.02 A Do 34 " "
80.00 Set a Post cor. to Sec. 24 & 25 from which
a W. Oak 36 in. diam. bears N. 38 W. 45 links dist. &
a Do 24 " " " S. 15 W. 135 " "

South On East Boundary of Sec 25. Corrected
28.57 A B. Oak 7 in. diam.
40.00 Set a qr. Sec post, from which
a W. Oak 8 in. diam. bears N. 60 W. 75 links dist. &
a Hickory 7 " " " S. 27 W. 57 " "
65.26 A W. Oak 20 " "
80.00 Set a Post cor. to Sec. 25 & 36 from which
a W. Oak 21 in. diam. bears N. 34 W. 64 links dist. &
a Do 20 " " " S. 30 W. 103 " "

South On East Boundary of Sec 36. Corrected.
19.94 A W. Oak 20 in. diam.
33.56 A Do 15 " "
40.00 Set a qr. Sec post from which
a B. Oak 19 in. diam. bears N. 60 W. 40 links dist. &
a Do 6 " " " S. 50 W. 51 " "
June 18th. 1829
56.80 A W. Oak 28 in. diam.
66.78 A Do 8 " "
80.04 Intersect South Boundary 1 chain & 50 links
East of the Post. Set Post Cor. to Towns 33 & 34
N. R. 8 & 9 E. Sec. 1. 6 31 & 36.
from which
a B. Oak 18 in. diam. bears N. 31 W. 60 links dist. &
a Hickory 10 " " " S. 1 W. 34 " "

North Boundary. Var. 5° 40' E.

Note On South Boundary of Sec. 36 T. 35 N. R. 8 E.

T 34 N. R. 8. E. 2nd Mer. Indiana.

1. 00 Enter Wet Prairie
13. 00 A Grove
14. 00 A B. Oak 21 in. diam.
15. 25 Enter Wet Prairie
30. 00 Enter Grove
33. 00 Enter Wet Prairie
40. 00 Set a qr. Sec. post & raised a Mound
80. 00 Set post Cor. to Sec. 35 & 36 in Prairie from which
a W. Oak 36 in. diam. bears N. 15 E 4. 48 links dist. &
a Do 20 " " " N 9 E 4.32 " "
Land chiefly wet Prairie. June 3d 1829.

West On South Boundary of Sec 35. T 35 N. R 8 E
11. 00 Leave Prairie
14. 00 A Trace S W.
23. 00 A B. Oak 18 in. diam.
40. 00 Set a qr. Sec post from which
a B. Oak 5 in. diam. bears N 13 E 12 links dist. &
a W. Oak 8 " " " N 76 W 42 " "
66. 04 A B. Oak 20 " "
76. 20 Enter Swamp Prairie
80. 00 Set a Post Cor. to Sec. 34 & 35 on the Bank of Lake
from which
a W. Oak 21 in. diam. bears N. 87 E. 3.15 links dist. &
a Do 20 " " " N 85 E. 3.24 " "
Land Rolling 3d rate. Barrens with scattering
Oak Timber.

West On South Boundary of Sec 34. T. 35 N. R 8 E
15. 12 Set a Post on the West Bank of Lake from which
a B. Oak 11 in. diam. bears S. 78 W. 1 24 links dist. &
a Hickory 4 " " " N 85 W 1.50 " "
34. 00 A W Oak 14 " "
40. 00 Set a qr. Sec. post from which
a B. Oak 21 in. diam. bears N. 11 E. 22 links dist. &
a Do 17 " " " N. 81 W. 94 " "

T 34 N. R 8 E 2nd Mer. Indiana.

50 92 A Burr Oak 30 in. diam.
80 00 Set a Post cor. to Sec. 33 & 34 in Trace N W
from which a
Burr Oak 18 in. diam. bears N. 40 W. 136 lks. diss &
a Do 18 " " " N 80 W 168 " "
Land Rolling 2nd rate Barrens. with scattering Oak
& Hickory. Undergth same.

West On South Boundary of Sec 33. T 35 N R 8 E.
25.94 An B. Oak 26 in. diam.
33.50 To Ft Wayne Road SE.
40.00 Set a qr. Sec post from which
a W. Oak 22 in. diam. bears N 45 E 66 links diss &
a B. Oak 24 " " " N 48 W. 56 " "
48.26 A Hickory 6 " "
67.57 A W. Oak 5 " "
80.00 Set a Post cor. to Sec. 32 & 33 from which
a Hickory 5 in. diam. bears N 71 E. 26 links diss &
a W Oak 18 " " " N. 82 W. 99 " "
Land &c. as before.

West On South Boundary of Sec 32 T 35 N. R 8 E.
10.00 Enter Wet Prairie
33.90 A Stream 15 links wide - course N E
39.50 Leave Prairie
40.00 Set a qr. Sec. post from which
a W. Oak 26 in. diam. bears N. 60 E. 27 links diss &
a Do 24 " " " N. 39 W. 27 " "
45.00 Enter Wet Prairie
70.00 Leave same
70.69 A W. Oak 26 in. diam.
80.00 Set a Post cor. to Sec. 31 & 32 from which
a W. Oak 23 in. diam. bears N. 85 E. 268 links diss &
an Aspin 14 " " " N. 14 W. 74 " "
Land Wet Prairie &c.

T 34 N. R 8 E. 2nd Mer. Indiana.

West On South Boundary of Sec 31 T 35 N. R 8 E.
12.50 Enter Willow Swamp
40 00 Set a gr. Sec post from which
an Aspin 10 in. diam. bears N 62 E 1.33 links dist. &
a Do 8 " " " N 57 E 1.37 " "
60.00 Enter Grove of Oak Timber
69.69 An Elm 12 in. diam.
70.50 Enter Swamp Prairie
80 00 Set a Temp. Post Cor. to Towns 34 & 35. North Ranges
7 & 8 East.

Land chiefly wet. Surveyed by David Hillis D.S.

West Boundary.

South On East Boundary of Sec 1. T 34 N. R 7 E.
Found Town Corner in Marsh. took one bearing
tree. an Aspin 6 in. diam. bears N. 2¼ W. 30 links dist.
23.00 Leave the Marsh
33 33 Set a gr. Sec. post from which
an Elm 10 in. diam. bears. N 69 W. 40 links dist. &
a Do 12 " " " S. . . . . .
35.71 A Beech 24 " "
41.00 A B. Ash Swamp
61.98 A B Ash 13 in. diam.
73.33 Set a Post cor. to Sec. 1 & 12 from which
a Sugar 10 in. diam. bears S 43 W 22 links dist. &
a Do 16 " " " N. 49 W. 35 " "
Land low & swampy. from Marsh, heavily
timbered with B. & W Ash. Elm. Lynn. &c

South On East Boundary of Sec 12 T 34 N R 7 E.
1.00 Leave Swamp
15.15 Intersect North Boundary of Flat Belly's Reserve. 3
miles 26.50 West of the N E corner. from which
a Beech 15 in. diam. bears N 16 E 32 links dist. &
a Blue Ash 12 in. " " N 45 W 11 " "

T 34 N. R. 8 E 2nd Mer Indiana

23.91 A W. Oak 18 in. diam.
40.00 Set a q. Sec post from which
a Blue Ash 12 in. diam. bears S. 64 W. 42 lks dist &
a Lynn 28 " " " N. 70 W. 33 " "
73.64 A W. Ash 14 " "
80.00 Set a Post cor. to Sec. 12 & 13 from which
a W. Ash 22 in. diam. bears S. 34 W. 31 links dist &
a Beech 20 " " " N 34 W 42 " "
Land Rolling soil good. Timber. Beech. Sugar
Ash. Lynn. B & W. Walnut, &c Undergr. Spice
Pawpaw. &c. Land low & wet in places.

South On East Boundary of Sec 13 T 34 N R 7 E
14.43 A P. Oak 12 in. diam.
40.00 Set a q. Sec post from which
a W. Ash 12 in. diam. bears S 84 W 50 links dist &
a Beech 24 " " " N. 64 W 63 " "
43.36 An Elm 12 " "
63.19 A Poplar 42 " "
80.00 Set a Post cor. to Sec. 13 & 24 from which
a Beech 10 in. diam. bears S 34 W 32 links dist &
a W. Ash 18 " " " N 72 W 32 " "
Land &c similar a good deal broken by low places.

South On East Boundary of Sec 24. T 34 N. R 7 E.
11.00 Dry channel of a Brook 2 links wide. Course N W.
24.54 A Poplar 18 in. diam.
40.00 Set a q. Sec post from which
a Beech 9 in. diam. bears S 50 W 30 links dist &
a Do 10 " " " N 53 W 41 " "
61.00 Indian Trail. Course S E
80.00 Set a Post cor. to Sec. 24 & 25 from which
a W. Oak 12 in. diam. bears S 36 W 48 links dist &
a Sassafras 12 " " " N 86 W 39 " "
Land &c similar last ¼ mile been burned. and
very Brushy. Sassafras. Spice Vines &c. Large Timber, thin

T 34 N. R 8 E. 2nd Mer. Indiana.

South On East Boundary of Sec 25. T 34 N. R 7 E.
16.50 A Spring Brook 6 links wide. Course S W.
17.75 Indian Trail from Village to Turkey Creek Prairie & Enter Prairie Spring Bottom
19.00 A Brook 12 links wide. Course N W.
20.50 Leave Bottom or Marsh
40.00 Set a qr. Sec post from which
a W Oak 18 in. diam. bears N 3¼ W 49 links dist. &
a Do 16 " " " S 53 W 42 " "
42.00 To Marsh
53.36 A W. Oak 12 in. diam. on a point of dry Land from the East
62.00 Leave Marsh
80.00 Set a Post cor. to Sec. 25 & 36 from which
a B. Ash 14 in. diam. bears S 45¼ W 31 links dist. &
a Sp Oak 15 " " " N 60¼ W 51 " "
Land, 1st 15 & last 18 ch. Rolling rich Land.
Timber burned & destroyed considerably.
Beech Ash Oak Walnut & Upland &c on Remainder Rolling Barrens.

South On East Boundary of Sec 36. T 34 N. R 7 E
40.00 Set a qr. Sec post from which
a Beech 26 in. diam. bears N 34 W 13 links dist. &
a Do 15 " " " S. 27¼ W. 89 " "
54.95 A Beech 12 in. diam.
68.74 A Do 18 " "
80.00 Intersect the South Boundary 2.17 links East of the Post. Set a Post from which
a Beech 24 in. diam. bears S. 83¼ W. 75 links dist. &
a B. Oak 11 " " " N 1 W. 58 " "
Land rolling. Soil good. Timber. Beech Lynn. Ash. Oak &c.
Var. 5° 18' E.

Surveyed by
Robert Clark Jr
Dep. Surveyor.

T34 N. R 8 E 2nd Mer. Indiana

Subdivisions. var. 5°.15' E

North	Between Sec. 35 & 36.
14.75	A W. Oak 48 in. diam.
30.40	A Do 24 " "
36.18	A Hickory 10 " "
40.00	Set a Qr Section Post 25 26 35 & 36 from which a Sugar 12 in. diam. bears S16¼ W18½ links dis. & a W. Ash 8 " " " N45½ E22 " "
65.50	To Marsh.
80.00	Set a Post in Marsh Cor. to Sec. 25 26. 35 & 36. from which a W. Oak 12 in. diam. bears N.80½ E.268 lks. dis. & a Do 15 " " " N.6¼ W.316 " " Land rolling. 1st ½ mile 2nd rate. Last ½ mile 3d rate. Timber. Oak. Beech. Poplar. Hickory &c.
East	On Random between Sec. 25 & 36. in Marsh
2.50	Leave Marsh
29.50	To Marsh
38.50	Leave same
80.09	Intersect N & S line 9 links North of the Post.
West	Corrected between Sec. 25 & 36
9.25	An R. Oak 5 in. diam.
21.11	A Do 4 " "
40.04½	Set a qr Sec. post at aver. dis. from which a forked B. Oak 20 in. diam. bears S80 W 7 links dis. & a W. Oak — " " " N37½ E8 " "
40.08	A B. Oak 20 " "
54.61	A Do 18 " "
80.09	To Sec. Corner. Land 3d rate. Rolling. Timber. W. B. Oak. & Hickory.
North	Between Sec. 25 & 26. in Marsh

T 34 N. R 8 E 2nd Mer. Indiana.

3. 00 Leave Marsh
15. 69 A W Oak 20 ins. diam.
16. 50 To Marsh
23. 50 Leave same
26. 92 A W. Oak 10 ins. diam.
35. 50 To South Margin of Lake & set a Post. from which
a B. Oak 20 ins. diam. bears S 53 W. 1. 18 lks. dist. &
a Do 10 " " " S 29½ W 1.72 " "
Offset N 16½ W 6 00
N 16½ E 5 00
East . 028 . Reduce Offset & as
46. 04 Fell into line on the North side of Lake
Set a Post from which
a B. Oak 18 ins. diam. bears S 70½ W 4 62 links dist. &
a W. Oak 18 " " " S 63½ W. 4.79 " "
69. 50 Leave the Marsh
74. 80 A B. Oak 8 ins. diam.
80. 00 Set a Post Cor. to Sec. 23 24. 25 & 26 from which
a B. Oak 10 ins. diam. bears N. 12¾ W. 152 links dist. &
a Do 18 " " " S. 68¾ – 166 " "
Land &c same as last mile

East On Random between Sec. 24 & 25.
7. 50 To Marsh.
34. 00 Leave same
55. 50 To Marsh
69. 00 Leave same
80. 32 Intersect E. Boundary 1. 24 links North of the Post.

West Corrected between Sec. 24 & 25.
40. 16 Set a q. Sec post at aver. dist. from which
a B. Oak 14 ins. diam. bears S. 60 E. 54 links dist. &
a Do 24 " " " S. 74½ W. 1. 13 " "
80 32 To Sec. Corner.
Land &c same

T 34 N. R 8 E 2nd Mer. Indiana.

North Between Sec. 23 & 24.
4.83 A B. Oak 10 in. diam.
6.50 To Marsh
14.00 A W. Oak 20 & leave Marsh
40.00 Set a g. Sec post from which
a B. Oak 9 in. diam. bears N 37 E 39 links dis. &
a W. Oak 6 " " " N 74 W 44½ " "
50.00 Enter Marsh
64.30 To South side of Lake. Set a Post & Raised a Mound
Offset North 40 East 3.50
North 3.50
North 40 West 3.50 Reduced Offset
73.17 Over Lake & set a Post from which
a W. Oak 16 in. diam. bears N 17¾ E 1.56 lks. dis. &
a Do 18 " " " S 87 E 1.58 " "
80.00 Set a Post cor. to Sec. 13. 14 23 & 24 from which
a W. Oak 24 in. diam. bears S 83½ E 1.54 links dis. &
a Do 26 " " " N 39½ W 1.40 " "
Land Rolling 3d rate Timber W & B Oak

East On Random between Sec. 13 & 24.
41.50 Road from Ft Wayne to St Josephs. from
N W. to S E.
80.53 Intersect East Boundary 66 links North of Post.

West Connected between Sec. 13 & 24.
12.60 A B. Oak 26 in. diam.
40.26½ Set a g. Sec post at accr. dis. from which
a W. Oak 18 in. diam. bears N 13 E. 43 links dis. &
a Do 18 " " " S 13¾ E 29 " "
4.55 A W Oak 10 " "
52.63 A Do 12 " "
80.53 To Sec. Corner.
Land level 3d rate. Timber W. & B Oak.
May 8th 1834

T 34 N. R 8 E. 2nd Mer. Indiana.

North	Between Sec. 13 & 14.
3. 50	To Marsh. heads 2 ch. East.
14. 00	Leave same
40.00	Set a q. Sec post from which
	a W. Oak 18 in. diam. bears S. 74½ E. 167 links dist. &
	a Do 15 " " " S. 31½ W. 71 " "
54. 32	A W. Oak 18 " "
77. 20	Road from Ft Wayne to St Josephs. N.W. & S.E.
80. 00	Set a Post cor. to Sec. 11. 12. 13 & 14 from which
	a B. Oak 24 in. diam. bears S. 14¼ E. 128 links dist. &
	a Hickory 12 " " " N. 1½ W. 49½ " "
	Land 3rd rate. Timber. W. & B. Oak. Rolling.

East	On Random between Sec. 12 & 13.
80. 47	Intersect East Boundary at Post.

West	Corrected between Sec. 12 & 13.
31. 72	A Hickory 5 in. diam.
40. 23½	Set a q. Sec post at aver. dist. from which a
	Hickory 8 in. diam. bears S. 5 E. 50 links dist. & a
	Do 7 " " " N. 54 E. 30 " "
42. 02	A Do 4 " "
64. 80	A W. Oak 18 " "
80 47	To Sec. Corner.
	Land hilly 3rd rate. Timber. Hickory.
	R. & W. Oak.

North	Between Sec. 11 & 12.
3. 00	Most about 4 chains is the dwelling of
	John Powers
22 42	A Hickory 12 in. diam.
38 28	A B. Oak 20 " "
40. 00	Set a q. Sec post from which
	a W. Oak 20 in. diam. bears N. 7¾ W. 67 links dist. &
	a Do 21 " " " N. 60¼ E. 66 " "
44 85	A B. Oak 20 " "

T 34 N. R 8 E. 2nd Mer. Indiana.

72.79 A B. Oak 18 in. diam.
80 00 Set a Post cor. to Sec. 1. 2. 11 & 12 from which
a W. Oak 20 in. diam. bears S 32¼ W 1.03 links dist &
a B. Oak 18 " " " N 23 E 2.10 " "
Sand & same

East On Random between Sec. 1 & 12.
81.00 To West Margin of Eagle Lake.
Offset South 10 50.
East 19.50
North 10.50 to line
80.50 To East side of Lake
82.88 Intersect East Boundary of Tsp.
In Running this line after the passage over the Lake the corner could not be found in the Range line between Sec. 1 & 12. There was however two witnesses marked. but neither the course nor the distance would close. I then measured & run the Town line & found that a very grosp error had been committed in the North ¼ mile. — After passing the ¼ mile post. & on the North ¼ mile fell West of the line 2.66.
Witnesses to 1 & 12
a W. Oak 24 in. diam. bears South 4.61 links dist &
a Hickory 8 " " " S 31¼ W 1.55 " "
Same trees that were used.

West Corrected between Sec. 1 & 12
2.38 To the East side of Eagle Lake. Set a Post from which a B. Oak 18 in. diam. bears S. 11¼ E. 1.49 lks. dist &
a Do 18 " " " S 55¾ E. 1.77 " "
21.88 Over Lake & set a Post from which
a W. Oak 26 in. diam. bears S. 45¼ W. 2.68 lks. dist &
a Hickory 7 " " " S 19¼ W. 2.14 " "
41.44 Set a qr. Sec. post from which
a W. Oak 26 in. diam. bears S 26¼ E 52 lks. dist &

T 34 N. R 8 E. 2nd Mer. Indiana.

a W. Oak 26 in. diam. bears N. 40 W 28 links dist.
67.20 A B. Oak 18 " "
82.88 To Sec. Corner.
Land de same.

North Between Sec. 1 & 2.
14.50 To Marsh
40.00 Set a q. Sec Post from which
a B. Oak 20 in. diam. bears N 84 E 3.16 links dist. &
a Do 8 " " " S 88 E 3.13 " "
54.00 Leave the Marsh
59.50 To Marsh
72.90 Intersect the North Boundary 3.90 links West of the Post. Set Post in Marsh. from which
a W. Oak 20 in. diam. bears N 47¼ E. 6.24 lks. dist. &
an R. Oak 6 " " " N. 57 W. 3.68 " "
Land de same May 9th 1834.

North Between Sec. 34 & 35.
7.26 A Lynn 10 in. diam.
33.27 An Ironwood 7 in. "
40.00 Set a q. Sec Post from which
a W. Oak 18 in. diam. bears N 85¼ E. 42 links dist. &
a Do 24 " " " S 46¼ W 42 " "
43.58 To Marsh. heads. 100. N.
48.00 Leave same
49.20 A W. Oak 20 in. diam.
50.00 To Marsh.
72.00 Leave same
73.52 A Burr Oak 12 in. diam.
80.00 Set a Post cor. to Sec. 26 27. 34 & 35 from which
a W. Oak 24 in. diam. bears S. 58¼ E. 39 lks. dist. &
an Ironwood 9 " " " N. 54¼ W. 85 " "
Land N & S of Swamp. 2nd rate. Rolling
Timber. W. & R. Oak. Lynn. Sugar. Hickory.
Sassafras de de.

T 34 N. R 8 E 2nd Mer. Indiana.

East — On Random between Sec. 26 & 35.
31.00 To Marsh.
56.00 Leave same
61.00 Enter Marsh
79.42 Intersect N & S line 36 links South of the Post.

West — Corrected between Sec. 26 & 35.
39.71 Set a qr. Sec. Post at a cer. dist. from which (in Marsh)
a W. Oak 30 in. diam. bears N 18¼ E 1.38 lks. dist. &
a B. Oak 20 " " " N 13 W. 68½ " "
56.22 An Elm 10 " "
79.42 To Sec Corner.
Land & Timber same

West — On True line between Sec. 27 & 34.
1.47 A W. Oak 18 in. diam.
22.00 To Marsh.
39.00 Leave Same
40.00 Set a qr. Sec Post from which
a W. Oak 18 in. diam. bears N. 9 W. 45 links dist. &
a B. Oak 10 " " " S 20½ W 1.13½ " "
48.87 Intersect East line of Flathelly's Indian Reservation and set a Post. from which
a W Oak 24 in. diam. bears S 73½ E 33½ links dist. &
a Do 12 " " " N. 19 E. 58 " "
Land East of Marsh same West of Marsh 2nd rate. Timber W. & Ro. Oak. Aspin &c. &c.

North — Between Sec. 26 & 27.
0.62 A W. Oak 30 in. diam.
17.81 An Elm 24 " "
40.00 Set a qr. Sec Post from which. (in edge of swamp.)
a B. Ash 6 in. diam. bears S. 77 E. 18½ lks. dist. &
a Do 7 " " " N 66¼ W 32 " "
44.50 Leave Swamp.

T 34 N. R 8 E 2nd Mer. Indiana.

46.19 A W. Ash 8 in. diam.
56.47 A Beech 16 " "
80.00 Set a Post cor. to Sec. 22. 23. 26 & 27. from which
a Lynn 20 in. diam. bears S 25¾ E. 39 links dis. &
a Blue Ash 8 " " " N 28 W 24½ " "
Land level 2nd rate.. Timber. Oak. Beech. Poplar
Ash. Ironwood. &c.

East On Random between Sec. 23 & 26
9.50 To Marsh
21.50 Leave same
34.50 To Marsh
60.00 Leave same
79.39 Intersect N & S line 21 links North of the Post.

West Corrected between Sec. 23 & 26
7.04 A B. Oak 10 in. diam.
39.69½ Set a q. Sec Post at acer. dis. from which
a W. Oak 36 in. diam. bears N. 29 W. 373 links dis. &
an Elm 12 " " " N 62 W 319 " "
47.72 An Aspin 12 " "
79.39 To Sec. Corner.
Land &c same as last mile.

West Between Sec. 22 & 27.
13.12 An R. Oak 24 in. diam.
27.05 An Elm 10 " "
40.00 Set a q. Sec post. from which
an Elm 8 in. diam. bears S 6½ W 13 links dis. &
a W. Ash 10 " " " N 74½ E 10 " "
49.15 Intersect East line of Hasbelly's Reservation
and set a post. from which
an Aspin 6 in. diam. bears N. 74 E 37 links dis. &
an Elm 10 " " " S 81½ E 35 " "
Land &c same.

T 34 N. R 8 E 2nd Mer. Indiana.

North Between Sec. 22 & 23.
9 64 An R. Oak 24 in. diam
13. 25 A Brook 9 links wide. course N E.
15. 57 A B. Ash 12 in. diam.
33. 50 An R. Oak 48 " "
40.00 Set a gr. Sec post from which
an Ironwood 8 in. diam. bears S. 30 W. 29 lks dist &
a W. Ash 9 " " " S 84 3/4 E 21 " "
53. 02 A W. Ash 24 " "
63. 40 To Marsh
67. 75 A Burr Oak 10 in. diam. in edge of Marsh
74.00 Leave same
80.00 Set a Post cor. to Sec. 14 15. 22 & 23 from which
a W. Oak 15 in. diam. bears S. 87 1/2 W. 37 links dist &
a B. Oak - " " " S. 42 3/4 E. 52 " "
Land &c same

East On Random between Sec. 14 & 23
2. 00 To Marsh
20. 00 Leave same
64. 22 To West Margin of Lake Narcasa
72. 69 Over Lake. Ascertained distance by trigonometrical calculation
79. 25 Intersect N & S line 22 links South of Post.

West Corrected between Sec. 14 & 15
4. 37 A W. Oak 10 in. diam.
6. 56 To East side of Lake Narcasa. Set a Post from which
a W. Oak 12 in. diam. bears S 82 E. 2. 39 lks dist &
a Do 10 " " " East 2. 19 " "
15 03 Over Lake. Set a Post from which
a W. Oak 24 in. diam. bears S 49 1/4 W 2. 20 lks dist &
a Do 30 " " " N 86 1/2 W. 2 60 " "
39. 62 1/2 Set a gr Sec Post at corr. dist from which
a W. Oak 18 in. diam. bears N 57 1/2 E. 1. 18 lks. dist &
a B. Oak 15 " " S 55 W 63 " "

T 34 N. R 8 E 2nd Mer. Indiana

50 74 A B. Oak 12 in.s diam.s
57.40 A B Oak 10 " "
79.25 To Sec. Corner.
Land Rolling 3d rate. Timber. W. & B Oak.

West Between Sec.s 15 & 22
1. 00 To Marsh
14. 50 Leave same
29. 66 A W. Oak 30 in.s diam.
40 00 Set a qr. Sec post from which
a W. Oak 18 in.s diam. bears S 24½ W 41 links dist, &
a Do 19 " " " N 13¼ E 10 " "
49. 31 Intersect the East line of Flasbelly's Reserve
Set a Post from which
a Lynn 12 in.s diam. bears N. 62½ E. 27 links dist, &
a Do 12 " " " S 12½ E 76 " "
Land West of Marsh 2nd rate. Level.
Timber. Oak. Lynn. Ash. Maple. &c &c.

North Between Sec.s 14 & 15.
4. 00 Enter Marsh
25. 50 Leave same
40. 00 Set a qr. Sec post from which
a B. Oak 20 in.s diam. bears N 43 W 69 links dist, &
a W. Oak 24 " " " S 58 E 89 " "
80. 00 Set a Post cor. to Sec.s 10. 11. 14 & 15 from which
a W. Oak 6 in.s diam. bears S. 85½ E. 56 links dist, &
a Do 18 " " " N. 64¾ W. 1. 66 " "
Land level 3d rate. Timber. W. & R Oak.

East On Random between Sec.s 11 & 14
2. 00 To Marsh
72. 50 Leave same
78. 00 Road from Ft. Wayne to St. Joseph's N & W
79 90 Intersect N & S line 12 links South of the Post.
N. W. about 5 chains is the dwelling of Mr. Powers.

T 34 N. R 8 E 2nd Mer. Indiana.

West Corrected between Sec. 12 & 14
39 95 Set a gr. Sec post in Marsh. from which
a W. Oak 20 in. diam. bears N. 31 E. 3. 36 links dist &
a Do 4 " " " S. 31 W. 2.05 " "
79 90 To Sec. Corner.
Land E & West of Marsh same as last mile.

West Between Sec. 10 & 15
40.00 Set a gr. Sec post from which
a W. Oak 12 in. diam. bears N. 43 E. 146 links dist &
a B. Oak 18 " " " N. 26 W. 1.87 " "
44.50 To Marsh
48.95 Intersect East line of Flashelly's Reserve. and
Set a Post from which
a W. Oak 12 in. diam. bears N. 16 3/4 E. 2. 48 links dist &
a Do 20 " " " N. 59 1/4 E. 2.68 " "
Measured North along said line 62. 94 to the end
thereof
Land level & 3rd rate. Timber. W. & B. Oak.
Undergth. Bushes

North Between Sec. 10 & 11
31. 00 To a W. Oak 12 in. diam.
40.00 Set a gr. Sec. post from which
a B. Oak 24 in. diam. bears S 20 W 13 links dist &
a W. Oak 18 " " " N. 8 1/4 E 142 " "
54.57 A B. Oak 20 " "
67. 00 To Road from Ft. Wayne to St. Joseph. N. W. to S E.
80.00 Set a Post cor. to Sec. 2. 3. 10 & 11 from which
a W. Oak 10 in. diam. bears S 82 W 43 links dist &
a Do 24 " " " N. 87 3/4 E 50 " "
Land Rolling 2nd rate. Timber. W. & B. Oak
Hickory &c

East On Random between Sec. 2 & 11
21. 00 Spring of fresh water 50 links wide. North.

T 34 N. R 8 E 2nd Mer. Indiana.

23.50	To Indian Creek 10 links wide. Course N.
35.08	A Trail from N E to S W.
45.70	Road from Monggo-nings N.
80.00	Intersect N. & S line 30 links North of the Post.

West	Corrected between Sec. 2 & 11
3.83	A W. Oak 14 in. diam.
40.00	Set a gr. Sec post from which
	a W. Oak 20 in. diam. bears N 60 E. links dis. &
	a Do 26 " " " S 22 W. — " "
61.91	A W. Oak 20 " "
80.00	To Sec. Corner.
	Land broken 3d rate. Timber. W. & B Oak Hickory &c.

North	Between Sec. 2 & 3
7.35	A W. Oak 20 in. diam.
34.51	A Hickory 10 " "
40.00	Set a gr. Sec post from which
	a W. Oak 18 in. diam. bears N 46 1/2 W. 82 links dis. &
	a Do 18 " " " S 23 W. 2.12 " "
45.00	To Marsh
55.00	Leave same
58.79	To South Margin of Indian Lake
	Set a Post from which
	a W. Oak 18 in. diam. bears S 10 W 1.87 links dis. &
	a Do 18 " " " S. 14 3/4 E. 2.20 " "
	Land broken 3d rate. Timber. W. & B Oak.

West	Corrected between Sec. 3 & 10
16.50	Road from Ft Wayne to St Joseph's
17.40	A W. Oak 30 in. diam.
26.50	To Marsh
40.00	Set a gr. Sec. post from which
	a W. Oak 18 in. diam. bears S 24 3/4 E 1.87 links dis. &
	a Do 14 " " " S 58 1/4 E 2.20 " "

T 34 N. R 8 E 2nd Mer. Indiana

41 50 Leave the Marsh
44.50 A Trail to Flatbelly's Village N E.
49 50 To Marsh
69 30 A Tamarac 8 in. diam.
80 00 Set a Post Cor. to Sec. 3. 4. 9 & 10 from which
a Burr Oak 12 in. diam. bears S 25¼ W 157 links dist &
a " Do 20 " " " S. 73¾ E. 2.20 " "
Land East of swamp 3d rate. Rolling. Timber
Oak. &c.

South Between Sec. 9 & 10 in Marsh
1. 00 Leave the Marsh
17. 20 Intersect North line of Flatbelly's Reserve and
Set a Post from which
a W. Oak 18 in. diam. bears N. 57½ E 57 links dist &
a Do 20 " " " N. 9½ W. 05 " "
Measured East along said line 31. 14 to the
End thereof
Land level & 2nd rate. Timber W. B. & Black
Oak. Ash Hickory. Ironwood & Hazle.

North Between Sec. 3 & 4 in Marsh
33. 00 Leave Marsh
36. 90 A B. Oak 18 in. diam.
40 00 Set a gr. Stone Post from which
a W. Oak 18 in. diam. bears S 50½ E 34 links dist &
a B. Oak 18 " " " N. 39 W. 60 " "
46. 15 A B. Oak 20 " "
52. 72 A Do 20 " "
53. 00 Road from Ft Wayne to St Joseph N W. to S E.
N E about 15 chains is the Dwelling of
Mr Warfield
72. 19 Intersect the North Boundary 5. 52 West of Post
Set a Post from which a
W. Oak 24 in. diam. bears S. 56½ E. 2 41 links dist &
a B. Oak 20 " " " S. 16¼ W. 1 91 " "

T 34 N. R 8 E 2nd Mer. Indiana.

Land North of Marsh 2nd rate. Rolling
Timber. B. & W. Oak
Mr. Miller lives on the S.W. qr. of Sec 3

West Between Sec. 4 & 9 in Marsh
3.50 Leave same
6.96 An Aspin 8 in. diam.
15.70 A W. Oak 18 " "
15.75 A Trail from North to South
24.00 To Marsh
40.00 Set a qr. Sec. post & and raised a Mound in Marsh
54.00 Leave Marsh
78.32 A W. Oak 24 in. diam.
80.00 Set a Post cor. to Sec. 4. 5. 8 & 9 from which
a W. Oak 12 in. diam. bears N 65½ E 65 links dis. &
a Do 30 " " " S. 61½ W 63 " "
Land West of Marsh 2nd rate Timber. W. & B.
Oak. Poplar. Dogwood. Ironwood Maple &c.

South Between Sec. 8 & 9
2.00 To Marsh
8.50 Leave same
16.92 Intersect the North Boundary of Flat belly's
Reserve and Set a post, from which
a W. Ash 14 in. diam. bears N 10½ E 12 lks. dis. &
a Beech 12 " " " N 34½ W. — " "
Land level 2nd rate. Timber. W & R. Oak.
Ash. Poplar Beech P. Ash. Ironwood.
Spice. &c. May 25th 1834

North Between Sec. 4 & 5
20.77 An R. Oak 12 in. diam.
30.50 To Marsh
40.00 Set a qr. Sec post from which
a Willow 8 in. diam. bears S 71¼ E 31 links dis. &

T 34 N. R 8 E 2nd Mer. Indiana

an Aspin 10 in. diam. bears S.88 W. 29½ lks. dist.
40.75 A Creek 10 links wide. Course N.W.
57.94 A W. Oak 24 in. diam.
71.63 Intersect North Boundary 5.57 lks. west of Post.
Set a Post cor. to Sections 4 & 5 from which
a W. Oak 12 in. diam. bears S 49¼ W 10½ links dist. &
a Do 18 " " " S.86⅔ – 486 " "
Land South of Marsh. 2nd rate Timber. W & B
Oak. Hazle. Spice. Sassafras &c.

West Between Sec. 5 & 8
21.15 A Blue Oak 12 in. diam. to Swamp
30.00 Leave the Swamp
40.00 Set a qr. Sec. Post from which
a Hickory 10 in. diam. bears N 38½ E 20½ lks. dist. &
an Ironwood 10 " " " S 14½ W 24 " "
42.96 A W Oak 24 " "
55.39 A Blue Ash 14 in. diam.
64.98 An Elm 30 " "
80.00 Set a Post cor. to Sec. 5. 6 7 & 8 from which
a Hickory 16 in. diam. bears N.16 E. 28 links dist. &
a Do 10 " " " S. 7½ E. 21 " "
Land level 2nd rate. Timber. Ash. Hickory
Elm. Poplar. Beech. Ironwood Hazle &c

South Between Sec. 7 & 8
14.10 An Elm 12 in. diam.
16.46 Intersect Flatbelly's Reserve and
Set a Post from which
a Beech 20 in. diam. bears N 8½ E 46 links dist. &
a Buckeye 7 " " " N. 70½ W 33 " "
Land & Timber same May 26th 1834

North Between Sec. 5 & 6
13.00 An Elm 18 in. diam.
26.50 To Marsh

Comp.

T. 34 N. R. 8 E. 2nd Mer. (Ind.a)

Ch. Lk.
34.00 Leave the same
40.00 Set qr. Sec. post, from which
a Sycamore 24 in.s diam.r bears S.33½ W.29 lks. dis.t &
a Hickory 14 " " " N.31 E.27 " "
41.53 A W. Oak 20 " "
49.02 A Burr Oak 20 in.s diam.r
50.00 Enter Swamp
71.97 Intersect the North Boundary 5.16 links West of Post. Set a Post Cor. to Sec.s 5 & 6 from which an Aspin 10 in.s diam.r bears S.3¾ E.59 lks. dis.t &
a Do 4 " " " S.1½ W.64 " "
Land South of Swamp same as before, in swamp Timber Elm, Willow & Aspin.

West Between Sec.s 6 & 7
11.31 A Hickory 14 in.s diam.r
23.42 An Elm 18 " "
40.00 Set qr. Sec Post from which
a Beech 14 in.s diam.r bears N.33 W.13 links dis.t &
a Do 12 " " " S.2½ E.41 " "
50.01 A Sycamore 18 in.s diam.r
75.23 Intersect the West Boundary 100 links North of Post. Set a Post Cor. to Sec.s 6 & 7 from which
a Black Ash 18 in.s diam.r bears S.18 E.25 links dis.t &
a Burr Oak 8 " " " N.56½ E.36 " "
Land low & wet. Timber. B. Ash Elm. Hickory. Sycamore. P. Ash Beech &c.
May 27th. 1834

Meanders of Deer Lake in Sections 25 & 36
Beginning at a Post on line between Sec.s 25 & 26 On the South side of Lake. Thence

Courses	Distances	Remarks
N.16½ W	6.00	In Sec. 26
N.16½ E	5.00	
East	0.28	To line between Sec.s 25 & 26 N. side of Lake

T 34 N. R 8 E 2nd Mer. Indiana

N 44½ E	5.50	In Sec 25
N 20 W	4.50	
N 13 E	3.50	
N 57½ E	3.50	
S 45 E	6.50	
S 83½ E	8.00	
S 22½ E	8.50	
S 12½ W	8.50	
S 23 E	8.50	
S 62½ W	4.00	
N 87 W	11.00	
N 61½ W	8.00	
N 31 W	3.06	To place of Beginning.

May 8th 1834

This Lake is shallow & its Banks Marshy.

Meanders of Lake (Eagle) in Sec. 1 & 12

Beginning at Post Cor. to Sec. 1 & 12 on Town line on South side of Lake. Thence

N 88¾ W 2,35 Between Sec. 1 & 12 East side of Lake

From this Post an Eagles nest on an Island bears N 27 W. Thence

---

S 19½ W	5.00	In Sec 12
S 61½ W	10.00	
S 80 W	7.00	
N 14 W	9.00	
N 3¼ E	2.39	To Stake on line between Sec. 1 & 12

On the West side of Lake.

From this Stake an Eagles nest bears N. 74¾ E.

N 34 W	4.50	In Sec 1.
N 5 E	5.00	
N 23 W	6.50	
N 3 E	12.50	
N 47 E	8.50	

T 34 N. R 8 E 2nd Mer. Indiana.

N66½ E 15.50
N86½ E 5.50
S11½ E 3.80 To Meander Post on Town line on the North side of Lake
This Lake is Deep Banks Muddy
May 9th 1834

Meanders of Lake Narcipo.
Beginning at Post on line between Sec. 14 & 23 On East side of Lake. Thence

Courses	Distances	Remarks
N8 W	9.00	In Sec. 14
N34 W	9.00	
N75 W	9.50	At 8.50 An Outlet 20 links wide, Course N.
S6½ W	9.50	
S45¾ E	10.50	
S12 E	2.20	To Post on line between Sec. 14 & 23 On the West side of Lake Thence

---

S11½ E 11.00
S54½ E 10.00
N78½ E 4.82 To Post on line between Sec. 23 & 24 South side of Lake. Thence

---

N40 E 3.50 In Sec 24
North 3.50
N40 W 3.50 To Post on line between Sec. 23 & 24 On North side of Lake

---

N44 W 9.44 In Sec 23 To place of Beginning
May 23d 1834

Meanders of Tamarac Lake in Sec 1
Beginning at Post on line between Sec. 1 & 12
300 links North of Corner to Sec 1 & 12
Thence N47 E 16.50 to Lake. Thence along Lake

T 34 N. R 8 E 2nd Mer. Indiana

N 7 E	12.00
N 7¼ E	15.00
N 6¾ E	13.50
N 21¼ E	8.50
N 8¾ E	16.00
N 47¼ W	9.00
N 14 E	5.50
N 30½ W	12.00
N 9½ W	3.50
S 59 W	3.50
S 33½ W	9.50
S 9½ E	10.00
S 30 W	25.00
S 57 W	3.50
S 57½ W	4.50
S 1 W	13.50
S 68 E	4.82 To place of Beginning

This Lake is shallow surrounded by ~~very~~ Marrance & very Miry
It is probable that the Meanders of this Lake extend a short distance in Town 35
In consequence of this Shore of this Lake being very Miry & it being impossible to go near.
There were no Meander Post set on the Town line

May 24th 1834

Meanders of Indian Lake.
Beginning at Post on line between Sections 2 & 3 On the South side of Lake. in Sec 3

Courses	Distances	Remarks
N 45 W	11.00	
N 11 W	5.00	
N 31¼ E	1.38	To Meander Post on Town line. On the West side of Lake. Thence.
S 34½ E	8.50	
S 22 E	10.5	

T 34 N. R 8 E 2nd Mer. Indiana.

S 5 E	15.50	
S 74 W	10.50	At 9.62 Indian Creek 20 links wide. Co. S.
N 40¼ W	4.50	
N 23 W	4.00	
N 6 W	5.50	
N 17 E	6.50	
N 44¼ W	3.29	To place of Beginning

Indian Lake is shallow & Banks miry being surrounded with a Marsh from 3 to 5 chains wide.

May 25th 1834

R J. Dawson
Deps. Surveyor.

I hereby Certify that in pursuance of a Contract with Micajah T. Williams Surveyor General of the United States for the States of Ohio Indiana and the Territory of Michigan, bearing date the 10th of January 1834. And in strict conformity to the laws of the United States, and the Instructions of the said Surveyor General, I have surveyed and subdivide into Sections. Township No 34 (Fractional) North of Range No 8 East of the 2nd Mer. Indiana. And I do further Certify that the foregoing are the true and original Field Notes of the said Survey and subdivisions executed as aforesaid

Certified this 27th day of May 1834

Reuben J. Dawson
Deps. Surveyor

D. Mepler
Isaac Tibbet } Chainmen

T 34 N. R 8 E 2nd Mer. Indiana.

Subdivisions of Indian Reserve

North	Between Sec. 33 & 34 Var. 5° 15' E.
9. 20	Pass Road E & W.
15. 32	A W. Elm 30 in. diam.
20. 25	A Swp Oak 26 in. diam.
40. 00	Set a gp. Sec Post from which an Ironwood 7 in. diam. bears S. 18 E. 27 links dist & a Coffee nut 7 " " " S. 89 W. 26 " "
42. 00	A Blue Ash 24 " "
49. 50	Enter N W. Corner of Field Cabin on the Right.
52. 70	Leave the Field
68. 13	A W. Elm 24 in. diam.
69. 00	Enter Swamp, Course N E
73. 50	Leave the Same
73. 95	A W. Oak 46 in. diam.
80. 00	Set Post cor to Sec. 27 28. 33 & 34 from which a S. Ash 6 in. diam. bears S. 41 E. 14 links dist & a Sassafras 14 in. " " N. 41 W. 45 " "
	Land gently rolling 1st rate. Timber. Elm, Ash. Oak Walnut. Spice Sassafras Grape Vines. &c &c.

East	On Random between Sec. 27 & 34
4. 50	Enter Swamp N & S
12. 50	Leave same
25. 00	Enter Prairie N E
31. 50	Leave same
31. 35	Intersect E. Boundary 50 links North of Post. Land gently rolling 3rd rate. Timber. Oak. Elm Ash. &c. Undergrowth. Sassafras. &c.

West	Corrected between Sec. 27 & 34 {189° W}
11. 08	A Red Oak 30 in. diam.
16. 80	A W. Oak 8 " "
31. 35	To Sec. Corner

North	Between Sec. 27 & 28

T. 34 N. R. 8 E. 2nd Mer. Indiana

5. 50	An Indian Trace. Course N E
6. 30	A Poplar 30 in. diam.
20. 74	An Ironwood 11 in. "
34. 00	Enter Maple Swamp S. W.
36. 08	A Maple 24 in. diam.
37. 50	Leave the Swamp
40. 00	A Red Oak 29 in. diam. is corner tree.
42. 00	Enter Willow Swamp
60. 00	Leave same
62. 15	A Poplar 30 in. diam.
71. 03	A Do 30 " "
80. 00	Set a Post Cor. to Sec. 21. 22. 27 & 28 from which a G. Ash 20 in. diam. bears S. 32 W. 5 links dis. & a Beech 6 " " " N. 64 E. 9 " " Good level rich 2nd rate Land. Except swamp Timber. Elm. Ash. Oak. Beech. Walnut. &c. Undergrowth Spice & Grape Vines.

East	On Random between Sec. 22 & 27
23. 00	Enter Swamp, Course N & S
31. 64	Intersect N & S line 50 links North of Post. Land &c. same as last mile.

West	Corrected between Sec. 22 & 27 {N 89° 08' W}
12. 14	An Ironwood 4 in. diam.
14. 09	A Blue Ash 14 " "
31. 64	To Sec Corner

North	Between Sec. 21 & 22
10 86	A B. Walnut 30 in. diam.
11. 90	A G. Ash 30 " "
20. 30	Pass Road N E
33. 50	A Beech 30 in. diam.
35. 60	A Do 30 " "
40. 00	Set a gr. Sec Post from which ——— an Ironwood 14 in. diam. bears South 24 lks dis.

T 34 N. R 8 E 2nd Mer. Indiana.

	a Poplar 18 in. diam. bears N. 20 E, 28 lks. dist.
41.90	A Beech 18 " " "
42.10	Enter Spring Run 3 links wide. Course E
53.00	Pass Road N E
56.40	A Sugar 36 in. diam.
80.00	Set a Post Corner to Sec. 15. 16. 21 & 22 from which an Ironwood 10 in. diam. bears N. 67 E. 38 lks. dist. & a Beech 9 " " " S. 46 W. 9 " "
	Land gently rolling 1st rate. Timber. Elm. Poplar. Walnut Ash. &c. Undergrowth Spice & P. Ash.

East — On Random between Sec. 15 & 22

2.50	A fine Spring Branch 2 links wide. Cr. N E.
6.25	Leave same
20.00	Enter another 3 links wide. Course N E
21.75	Leave same
32.20	Intersect the N & S line 1.13 links North of Post. Land same as last mile

West — Corrected between Sec. 15 & 22

6.50	A M. Walnut 16 in. diam.
15.46	An Ironwood 6 " "
32.20	To Sec Corner

North — Between Sec. 15 & 16

11.26	A Beech 20 in. diam.
20.00	Over Spring Run 2 links wide Course E
27.83	A Lynn 8 in. diam.
35.75	Over Run 2 links wide, Course, East
40.00	Set a gr. Sec Post from which a Lynn 4 in. diam. bears S. 29 E, 5 links dist. & a Beech 19 " " " N. 78 W. 9 " "
46.24	A Beech 24 in. diam.
50.46	A Poplar 30 " "
65.25	A Red Elm 24 in. diam.

T 34 N. R. 8 E 2nd Mer. Indiana

77.08	A Burr Oak 30 in. diam.
80.00	Set a Post Cor. to Sec. 9. 10 15 & 16 from which
	a Poplar 15 in. diam. bears N.30 W.16 links dist.
	a W. Elm 30 " " " S.45 E. 48 " "
	Land & Timber same as last mile.
	January 17th 1839

East	On Random between Sec. 10 & 15
3.50	Enter Prairie, Course, S.E.
33.00	Intersect the N & S line 1.20 links North of the Post

West	Corrected between Sec. 10 & 15
33.00	To Sec Corner N 87° 55' W
	January 17th 1839

North	Between Sec. 9 & 10
2.00	Enter Prairie; Course N.E.
20.50	Leave same
34.00	A Sweet Gum 14 in. diam.
40.00	Set a qr Sec Post, from which
	a Swamp Oak 20 in. diam. bears S.19 E. 58 lks. dist.
	& an Ironwood 14 " " " N.25 W.27 " "
42.10	A Buckeye 24 " "
50.09	Intersect the North Boundary of Reserve 2.58 West of Post.
	Set a Post Cor. to Sec. 9 & 10 from which
	a Hickory 9 in. diam. bears S.22 W.33 lks. dist. &
	an Ironwood 12 in. " " S.70 E.60 " "
	Land level 2nd rate, & Prairie. Timber, Oak, Ash, Sugar, Elm &c. Undergrowth Grape Vines. Green Briers &c.

North	Between Sec. 32 & 33
18.30	A W. Oak 30 in. diam.
	Enter Swamp E & W.

T 34 N. R 8 E 2nd Mer. Indiana.

30.00	Leave the Swamp
33.50	Pass Road Course N E
35.20	A Red Oak 20 in. diam.
40.00	Set a gp Sec. Post from which
	an Ironwood 6 in. diam. bears S 74 W 8 lks. dis. 3
	a W. Elm 12 " " " N. 54 E. 22 " "
53.50	Enter Swamp Course N. E
62.50	Leave same
68.18	A W. Elm 12 in. diam.
80.00	Set Post Cor. to Sec. 28. 29 32 & 33 from which
	a Sugar 7 in. diam. bears N 89 W 30 links dis. 3
	a Beech 22 " " " S. 66 E. 31 " "
	Land rolling 2nd rate; Timber. Oak Ash
	Beech, Elm, Ash. Beech. Sugar, &c,
	Undergrowth Spice & P. Ash.

East	On Random between Sec. 28 & 33
2.10	Pass Run 3 links wide, Course, South
40.50	Pass " 2 " " " "
52.00	Enter Swamp Course East.
72.50	Leave same
78.88	Intersect the N & S line 14 links South of Post
	Land &c, same as last mile except swamp

West	Corrected between Sec. 28 & 33
4.40	A Poplar 24 in. diam.
4.54	A Do 26 " "
39.44	Set a gp Sec Post. from which
	a Poplar 30 in. diam. bears N. 70 E. 24 links dis. 3
	& a Do 26 " " " S. 26 W. 2 " "
49.16	A Sugar 10 " "
63.29	A Beech 6 " "
78.88	To Sec Corner

North	Between Sec. 28 & 29
11.62	A Beech 26 in. diam.

T 34 N. R 8 E 2nd Mer. Indiana.

14.00 An Indian Trace. Course East.
15.50 Pass Run 4 links wide. Course SE
20.00 Enter Sugar Camp.
25.00 Leave Same
38.90 A Beech 28 in. diam.
40.00 Set a gr. Sec. Post. from which
a Hornbeam 8 in. diam. bears S.72 W.12 lks dist &
a Do 6 " " " N.83 E.7 " "
42.00 Enter Swamp
47.50 Leave same
52.20 Pass Road. Course N.E.
59.65 A Sugar 36 in. diam.
67.55 A Poplar 50 " "
78.90 Enter Creek 5 links wide. Course S.W.
80.00 ~~Cor~~ Set a Post Cor. to Sec. 20 21. 28 & 29 from which
a Hickory 12 in. diam. bears S.72 W.18 links dist. &
a Beech 10 " " " S.86 E.25 " "
Land level rich 2nd rate. Timber. Beech.
Sugar. Ash. Elm. Hickory. Oak. &c.
Undergr. Spice. Leatherwood &c.

East On Random between Sec. 21 & 28
47.00 Pass Road N.E.
79.37 Intersect N & S line 8 links South of Post.
Land & Timber same as last mile.

West Corrected between Sec. 21 & 28
00.81 A Beech 8 in. diam.
23.84 A Lynn 6 " "
39.68½ Set a gr. Sec Post from which
a Sugar 11 in. diam. bears S.27 E.27 links dist. &
a Do 6 " " " N.21 W.20 " "
40.11 A Beech 36 in. diam.
60.44 An Ironwood 6 in. "
79.37 To Sec. Corner

T 34 N. R 8 E 2nd Mer. Indiana

North	Between Sec. 20 & 21
0,16	Leave the Creek
15,85	Over Granite Rock 9 links
16.45	A Beech 10 inl. diam.
36.56	A Do 14 " "
40.00	Set a qr Sec Post from which
	a Sugar 20 inl. diam. bears S.82 W.11 links dis. &
	a Do. 24 " " " S.85 E.18 " "
52.95	A Sugar 24 " "
55.00	A Do 24 " "
62.25	Pass Spring Branch 3 links wide course W.
80.00	Set a Post Cor. to Sec. 16. 17. 20 & 21 from which
	a Sugar 22 inl. diam. bears S.14 W.34 links dis.
	& a Lynn 28 " " " N.72 E.46 " "
	Land gently rolling rich 2nd rate. Timber
	Principally Sugar, Beech, Lynn, Ash,
	&c. Undergrowth Spice &c.

East	On Random between Sec. 16 & 21
32,90	Pass over Spring Branch 4 links wide, N.W.
80,10	Intersect the N & S line 10 links North of Post
	Land &c same as last mile.

West	Corrected between Sec. 16 & 21
3,65	A G. Ash 8 inl. diam.
23.82	A Do 38 " "
40.05	A Lynn 11 inl. diam. aver. dis. to Corner tree
40,69	A Grey Ash 30 inl. diam.
60,71	A Lynn 40 " "
80.10	To Sec. Corner.

North	Between Sec. 16 & 17
0.75	An Indian Trace course NE
26.70	A Buckeye 10 inl. diam.
34.02	A Sugar 30 " "
40.00	Set a qr Sec Post. from which

T 34 N. R 8 E 2nd Mer, Indiana.

	a Beech 7 in. diam. bears S57 W 5 links dist. &
	a Buckeye 12 " " " N,60 E,28 " "
49.96	A Beech 18 " "
55.30	A Do 24 " "
57.00	Pass over Spring Run 4 links wide. Course, East.
61.50	" " Do " 4 " " " N W
80,00	Set a Post cor. to Sec. 8. 9. 16. 17 from which
	a Swamp Ash 28 in. diam. bears S,82 W,60 lks. dist. &
	a W. Elm 24 " " " S. 81 E. 45 " "
	Land &c, same as last mile

East	On Random between Sec. 9 & 16
8.60	Enter Branch 6 links wide. Course N W.
12,25	Leave same
14.00	Cabin & improvement on left
80,00	Intersect the N & S line 37 links South of Post.
	Land &c, same as before

West	Corrected between Sec. 9 & 16
8.53	A Grey Ash 22 in. diam.
40,30	Set a gp Sec Post at aver. dist. from which
	a Beech 20 in. diam. bears N.20 E,11 links dist. &
	a Do 10 " " " South 38 " "
48,50	A B. Walnut 46 in. diam.
80.10	A Lynn 38 in. diam.
80,50	To Sec. Corner.

North	Between Sec. 8 & 9
5.30	Enter Branch. Course N W.
8,70	Leave same
20.77	A Beech 20 in. diam.
24.08	A Do 24 " "
40,00	A Cherry 11 " " is corner tree
53.50	Enter South side of Field
58.50	Leave North " " "
60 78	Intersect the North Boundary 3 56 links West

T 34 N. R 8 E 2nd Mer. Indiana.

of Post. where Set a Post Cor. to Sec. 8 & 9
from which
a Red Oak 22 in. diam. bears S 31 E 13 lks. dist. &
a Beech 21 " " " S. 41 W. 22 " "
Land same as last mile
January 19th 1839

North	Between Sec. 31 & 32
0. 69	A W. Oak 14 in. diam.
3. 00	Enter Prairie E & W.
9. 00	Leave same
14. 00	A Swamp on the left West.
22. 50	Enter Prairie N E
32. 00	Leave same
33. 50	Pass Road S E
37. 70	Indian Trace. Course N. W.
40 00	Set a gr Sec Post from which
	a Black Oak 16 in. diam. bears S. 20 W. 50 lks dist. &
	a W. Oak 25 " " " N. 30 W. 53 " "
45, 20	A Black Oak 14 in. diam.
45, 50	Enter Prairie E & W.
48. 20	To South side of Lake & set a Post from which
	a Black Oak 14 in. diam. bears South 300 links dist.
	& a Poplar 20 " " " S. 70 W. 222 " "
55. 85	To the North side of Lake & set a Post from which
	a Black Oak 28 in. diam. bears S. 85 E. 305 lks. dist. &
	a Do 18 " " " N. 36 E. 262 " "
60, 40	Over Run 6 links wide. Course S W.
67. 25	Leave Marsh & Indian Trace. S. W.
74. 00	Pass Road Course S E
75, 13	A W. Oak 10 in. diam.
80. 00	Set a Post Cor. to Sec. 29. 30 31 & 32. from which
	a W. Oak 30 in. diam. bears S. 2 W. 300 links dist. &
	a Hickory 9 " " " N. 50 W. 160 " "
	Land rolling 3rd rate. Timber. Oak. Hickory &c.
	Undergrowth Sassafras. Grapevines. &c.

T 34 N. R 8 E 2nd Mer. Indiana

East	On Random between Sec. 29 & 32
1. 70	Pass S.W. side of Field
10. 00	" N.E. side of Do
31. 50	Over Creek 4 links wide, Course, South.
55. 70	An Indian Trace. Course North
79. 13	Intersect the N & S line 12 links South of Post.
	Land gently Rolling rich 2nd rate. Timber.
	Beech. Sugar. Oak. Ash, &c. Undergrowth
	Spice. Sugar. &c.

West	Corrected between Sec. 29 & 32
6. 30	A Sugar 6 in. diam.
3. 40	A Do 26 " "
22. 43	A Poplar 30 " "
39. 30	Set a gp. Sec Post at acc. dist. from which
	a Beech 9 in. diam. bears S.19 E. 43 links dist. &
	a Sugar 23 " " " N.19 W. 11 " "
43. 60	A Grey Ash 29 in. diam.
63. 18	A Beech 12 " "
79. 13	To Sec Corner.

West	Between Sec. 30 & 31
9. 70	Over East side of Field.
15. 70	Over West " " Do
20. 00	Pass Road S.W.
24. 50	Indian Trace N.
41. 16	Enter Turkey Creek 16 links wide, Course N.W.
42. 00	Leave same
73. 30	An Indian Trace. Course North
75. 62	Intersect the West Boundary 13 links North of Post
	Land &c. same as last mile
	Bearing trees for Cor. to Sec. 30 & 31
	a Black Oak 10 in. diam. bears S.7¼ E 25 links dist. &
	a Do 5 " " " N.40 E 26 " "

East	Corrected between Sec. 30 & 31
10. 25	A Blue Ash 16 in. diam.

T 34 N. R 8 E 2nd Mer. Indiana.

16. 20	A W. Elm 24 in. diam.
35. 62	Set a gr. Sec Post from which
	a W. Oak 12 in. diam. bears N. 21 E. 35 links dist. &
	a Do 24 " " " S. 48½ W. 51 " "
40 47	A W. Oak 26 in. diam.
75. 62	To Sec Corner

North	Between Sec. 29 & 30
1. 20	Over N W side of Field
9. 50	Leave North side of same
19. 02	An Ironwood 7 in. diam.
25. 67	A Beech 14 in. diam.
33. 55	A Do 30 " "
37. 30	Pass Road. NE
40. 00	Set a gr. Sec Post. from which
	a Beech 26 in. diam. bears S. 50 E. 23 links dist. &
	a Do 20 " " " S. 61 W. 30 " "
43. 60	A Grey Ash 26 in. diam.
47. 15	An Indian Trace. Course NE
62. 20	Enter a Brook 10 links wide, Course NE.
65. 75	Leave same
72. 00	Enter Windfall NE
80. 00	Set a Post Cor. to Sec. 19. 20. 29 & 30 from which
	a Beech 20 in. diam. bears N. 80 W. 18 links dist. &
	a Do 9 " " " N. 63 E. 13 " "
	Land &c. same as last mile.

East	On Random between Sec. 20 & 29
17. 50	Leave the Windfall
36. 00	An Indian Trace, Course North
63. 00	Enter Sugar Camp
65 50	Leave same
79. 40	Enter Creek, Course S W.
79. 50	Intersect the N & S line 14 link South of Post.
	Land &c. same as before.

T 34 N. R 8 E 2nd Mer. Indiana.

West	Corrected between Sec. 20 & 29
5.01	A Sugar 28 in. diam.
26.20	A Blue Ash 16 in. "
39.75	Set a gp. Sec. Post at aver. dist. from which
	a Sugar 30 in. diam. bears S.39 E.10 links dist. &
	a Lynn 4 " " " N.2 W.3 " "
43.89	A Sugar 26 in. diam.
58.50	A W. Elm 30 " "
79.50	To Sec. Corner

West	On Random between Sec. 19 & 30
8.70	Leave fallen Timber,
23.30	Over Spring Run 2 links wide. Course North.
27.50	Enter Branch 6 links wide, Course N.W.
42.00	Leave same " " " S.W.
59.35	Enter East side of Field
73.00	Leave same at Cabin
74.46	Intersect the West Boundary 50 links North
	of the Post.
	Bearing trees cor. to Sec. 19 & 30
	A Black Oak 30 in. diam. bears S.27 E.146 links dist.
	--- Land &c as last mile.

East	Corrected between Sec. 19 & 30 N.89° 37' E
23.21	A Hornbeam 10 in. diam.
34.46	Set a gp Sec Post: from which
	a W Elm 24 in. diam. bears N.10 W.94 links dist. &
	a W. Oak 19 " " " S.47 E.33 " "
37.66	A Beech 14 " "
60.91	An Ironwood 6 in. diam.
74.46	To Sec Corner.

January 21. 1839

North	Between Sec. 19 & 20
7.00	Leave fallen Timber
12.00	Pass Road Course N.E

T 34 N. R 8 E 2nd Mer. Indiana.

13.90	A Beech 20 in. diam.
23.87	A Burr Oak 30 " "
28.50	A Beech 24 in. diam.
40.00	Set a qr Sec Post from which
	a Swamp Ash 26 in. diam. bears S 72 W 30 lks dist. &
	a Do Do 26 " " " N 75 E 28 " "
40.50	Enter Brook 2 links wide. Course S.W.
40.58	Leave same
40.86	A Swp. Oak 28 in. diam.
56.95	A Grey Ash 10 " "
68.60	Enter Branch 12 links wide, Course, S.W.
71.25	Leave same
73.84	A Poplar 40 in. diam.
80.00	Set a Post Cor. to Sec. 17. 18. 19 & 20 from which
	a Beech 26 in. diam. bears S 63 W 38 links dist. &
	a Do 11 " " " S 88 E 10 " "
	Land level 2nd rate. Timber, Beech. Sugar.
	Ash, Poplar, &c. Undergrowth. Spice. Sugar. &c.

East	On Random between Sec. 17 & 20
16.75	Enter Brook 10 links wide. Course S.W.
20.00	Leave same Course S.W.
48.50	Over Branch 10 links wide, Course S.W.
75.60	An Indian Trace 100 links wide " North.
79.48	Intersect 100 links South of Post
	Land & Timber same as last mile

West	Corrected between Sec. 17 & 20 {S 89° 17' W}
3.97	A Lynn 7 in. diam.
24.98	A Beech 18 " "
39.74	Set a qr Sec Post from which
	a Sugar 10 in. diam. bears S. 33 E 1 links dist. &
	a Do 30 " " " N. 21 W. 33 " "
48.12	A B. Walnut 56 in. diam.
62.38	A Beech 6 " "
79.48	To Sec. Corner

T 34 N. R 8 E 2nd Mer. Indiana.

West	On Random between Sec.s 18 & 19
73.56	Intersect the West Boundary 50 links North of Post.
	Land &c. Same as last mile
East	Corrected between Sec.s 18 & 19 N 89° 38' E
	Bearing trees Cor. of Sec.s 18 & 19
	a Lynn 9 in.s diam.r bears N. 28 E 23 links dist.s &
	a B. Ash 28 " " " S. 41 E. 37 " "
3.52	A Do. 22 in.s diam.r
13.41	A Beech 24 " "
33.56	Set a qr Sec Post from which
	a Beech 9 in.s diam.r bears N. 6½ W. 34 links dist.s &
	a Sugar 24 " " " S. 6½ E. 21 " "
38.79	A W Elm 30 " "
54.96	A Beech 20 " "
73.56	To Sec. Corner
North	Between Sec.s 17 & 18
4.84	A Grey Ash 22 in.s diam.r
12.70	A Poplar 38 " "
26.15	A B. Ash 26 " "
37.80	A Poplar 60 " "
40.00	Set a qr Sec Post from which
	a Sugar 28 in.s diam.r bears S. 30 W. 16 links dist.s &
	a Lynn 29 " " " North 25 " "
40.25	A Lynn 29 " "
55.65	A Lynn 24 in.s diam.r
80.00	Set a Post Cor to Sec.s 7. 8. 17 & 18 from which
	a Beech 22 in.s diam.r bears S. 81 W. 29 links dist.s &
	a Do 11 " " " S. 59 E. 20 " "
	Land &c. Same as last mile.
East	On Random between Sec.s 8 & 17
5.00	Enter Sugar Camp
15.00	Leave Same
79.96	Intersect the N & S. line 80 links South of Post

T 34 N. R 5 E 2nd Mer. Indiana.

Land gently rolling rich 2nd rate. Timber. Sugar. Beech. Ash. Poplar. Walnut. &c. Undergrowth Spice & P. Ash.

West	Connected between Sec. 8 & 17 {S 89° 26' W.}
11.25	A Beech 24 in. diam.
20.19	A Do 9 " "
39.98	Setag Sec Post at aver. dis. from which a Beech 28 in. diam. bears N. 13 W. 48 links dis. & a Hickory 4 " " " S. 13 W. 20 " "
46.20	A Beech 20 in. diam.
59.21	A Poplar 60 " "
79.96	To Sec. corner

West	On Random between Sec. 7 & 18
10.00	Enter Swamp S. W.
16.00	Leave same
25.00	Enter Swamp S. W.
31.00	Leave same
74.14	Intersect the N & S line 100 links North of Post
	Land same as last mile
	Bearing Trees for Sec. 7. & 18
	A Grey Ash 30 in. diam. bears S 76 E 41 links dis.
	a Beech 10 " " " N. 30 E. 60 " "

East	Connected between Sec. 7. & 18
5.05	A Poplar 19 in. diam.
17.32	An Ironwood 10 in. diam.
34.14	An Ironwood 8 " " is corner tree.
35.88	A Maple 26 " "
55.76	A Beech 24 " "
74.14	To Sec. corner

North	Between Sec. 7. & 8
5.00	Enter Slue. course S W.
9.75	A Sycamore 20 in. diam. & leave Slue.

Comp.

T 34 N. R 8 E 2nd Mer Indiana.

15.00 Enter Pond
17.00 Leave same
21.60 A Beech 10 in. diam.
40.00 Set a gr Sec Post from which
a Sycamore 16 in. diam. bears S. 73 W. 28 links dis. &
a Do 16 " " " East 16 " "
42.70 A Beech 20 " "
52.50 A Poplar 50 " "
62.45 Intersect Mark Boundary 384 links West of the Post. where Set a Post cor. to Sec. 7. & 8 from which
a G. Ash 10 in. diam. bears S. 67 W. 25 links dis. &
a Poplar 20 " " " S. 7 E. 40 " "
Land flat & net 2nd rate. Timber. Ash Elm Poplar. Maple &c. Undergrowth. Spice. &c. January 22. 1839

The largest portion of this Township is very heavily timbered and good rich 2nd rate Land The Timber is tall and large and principally Sugar.

The soil is from 6 to 8 in. deep Black & rich. The Land adjacent to Turkey Creek and the Lakes is rolling Oak Barrens. There is a fine mill seat. on the N.W. qr. of Section 32 and another on the N.E qr of Section 31.

A. S. C. Vance
Dep. Surveyor.

Meanders of Saddle Bag Lake in Sec. 31 & 32
Beginning at a Post in the North side of Lake in line between Sections 31 & 32

Courses	Distances	Remarks.
S 42 E	19.58	In Sec. 32
S 22 E	18.12	

T 34 N. R 8 E 2nd Mer. Indiana.

Courses	Distances	Remarks
S 84¼ W	7.10	At 3.40 pass an Inlet 5 links wide W
N 29 W	9.35	
N 7½ E	3.17	
N 23½ W	11.47	
N 57½ W	5.04	To Post on the South side of Lake Between Sec. 31 & 32

N 26 W	10.50	In Sec 31
N 77¾ W	5.82	At 5.00 Pass Run 4 links wide.
N 27 W	13.06	At 11.30 Pass Outlet 100 links wide.
S 70 E	12.44	
S 12½ E	11.56	To place of beginning. January 21st 1839

Meanders of part of Round Lake on the South Boundary of Sec. 32

Beginning at Post on East side of Lake Thence

N 45 W	3.63	At 6.00 an Outlet 1.20 links wide. Cr West.
S 71¼ W	7.90	To Post on Township line on the West side of Lake

Jan. 17th 1839

Surveyed by

A. H. C. Vance

I do hereby Certify that in Pursuance of a Contract with Robert T. Lytle, Surveyor General of the United States of Ohio Indiana and the Territory of Michigan. bearing date the 10th day of May 1838 and in strict conformity to the laws of the United States and the instructions of the said Surveyor General. I have surveyed and subdivided into Sections. Town No 34 North in Range No. 8 East of the 2nd Meridian in the State of Indiana. And I do further Certify that the foregoing are the True an Original field Notes of the said survey &

T. 34 N. R. 8 E. 2nd Mer. Indiana

subdivisions executed as aforesaid.
Certified this 22d day of January 1839
Ar. S. D. Vance
Dep. Surveyor

David Frazier
John F. Sims Chainmen
John P. Johnson Marker.

I Certify that the foregoing transcript of the Field Notes of Township No 34 North. Range No 8 East of the 2nd Mer. in the State of Indiana. has been compared with the Original Notes in this Office. and found to be Correct.
Surveyor General's Office
Cincinnati Sept. 10th 1844
William Johnston
Sur. Genl.